



0595 ACME Thread gauge



Model

- Special steel
- Cuts for trapezoidal threads

▶◀	⌘	Base dimensions mm	Order no.	List price EUR
		60 x 20 x 2	0595 130	3.00

0595 Thread cutting gauge



Model

- Special steel
- Cuts for Whitworth or metric threads

▶◀	⌘	Base dimensions mm	Order no.	List price EUR
Metric ISO - threads 60°				
		74 x 24 x 2	0595 142	2.60
Whitworth - threads 55°				
		74 x 24 x 2	0595 140	2.60

0590 Universal grinding gauge



Model

- Special steel
- Scales in mm graduation
- Angles 120°, 118°, 90°, 60° and 55°

		Base dimensions	Order no.	List price EUR
		95 x 63 x 2	0590 151	3.30

0595 Welding gauge blank



Model

- Special steel
- Pure
- For easy testing of fillet weld thicknesses of rectangular parts

		For measuring range mm	Order no.	List price EUR
		3 - 12	0595 110	12.70

0595 Welding gauge blank



Model

- Aluminium
- Pure, for fast reading of the weld dimensions

		For measuring range mm	Order no.	List price EUR
		0 - 5	0595 115	3.60

0595 Welding gauge




Model

- Stainless steel
- Reading accuracy 0.2 mm
- Easy to read the result due to the reference line in the reading window
- Quick and easy inspection of welding seam heights

		Base dimensions	Order no.	List price EUR
		108 x 81.5 x 3.2	0595 251	87.00




0595 Welding gauge



Model

- Special steel
- Locking screw
- Angle 60°, 70°, 80° and 90°; to measure the height of flat welds and fillet weld thicknesses

	Measuring range mm	Readings mm mm	Order no.	List price EUR
	20	0.10	0595 101	20.30

0597 Radius gauge




Model


- To determine radius size work-pieces
- Stainless steel
- Reading parts are satin chrome finished

Delivery

- Wooden case

	Measuring range mm	Readings mm mm	Order no.	List price EUR
	0 - 10	0.10	0597 305	168.00

0597 Chamfer gauge




Model

- Stainless steel
- Reading 0.1 mm
- Reading parts are satin chrome finished
- For simultaneously testing of the chamfer angle and the dimensional accuracy
- Dimensions: 48 x 30 x 8.5 mm

Delivery

- 3 interchangeable blades: 30°, 45°, 60°

	Measuring range mm	Readings mm mm	Order no.	List price EUR
	0 - 10	0.10	0597 301	168.00

