



0658 Thread plug gauges



**DIN
2280**

Model

- DIN 2280
- For standard metric ISO threads DIN 13
- Gauge steel, hardened

Fit	Type of thread	Nominal size mm	Thread pitch mm	Order no.	List price EUR
5H	M	1.0	0.25	0658 001	142.00
5H	M	1.2	0.25	0658 002	137.00
5H	M	1.4	0.30	0658 003	119.00
6H	M	1.6	0.35	0658 004	104.00
6H	M	1.8	0.35	0658 005	91.00
6H	M	2.0	0.40	0658 006	91.00
6H	M	2.2	0.45	0658 007	84.00
6H	M	2.5	0.45	0658 008	79.00
6H	M	3.0	0.5	0658 009	65.00
6H	M	3.5	0.6	0658 010	64.00
6H	M	4.0	0.7	0658 011	61.00
6H	M	5.0	0.8	0658 012	60.00
6H	M	6.0	1	0658 013	58.00
6H	M	7.0	1	0658 014	59.00
6H	M	8.0	1.25	0658 015	60.00
6H	M	9.0	1.25	0658 016	61.00
6H	M	10.0	1.5	0658 017	64.00
6H	M	11.0	1.5	0658 018	101.00
6H	M	12.0	1.75	0658 019	69.00
6H	M	14.0	2	0658 020	74.00
6H	M	16.0	2	0658 021	80.00
6H	M	18.0	2.5	0658 022	85.00
6H	M	20.0	2.5	0658 023	90.00
6H	M	22.0	2.5	0658 024	97.00
6H	M	24.0	3	0658 025	108.00
6H	M	27.0	3	0658 026	118.00
6H	M	30.0	3.5	0658 027	132.00
6H	M	33.0	3.5	0658 028	143.00
6H	M	36.0	4	0658 029	156.00
6H	M	39.0	4	0658 030	172.00
6H	M	42.0	4.5	0658 031	254.00
6H	M	45.0	4.5	0658 032	274.00
6H	M	48.0	5	0658 033	296.00
6H	M	52.0	5	0658 034	317.00
6H	M	56.0	5.5	0658 035	351.00
6H	M	60.0	5.5	0658 036	372.00
6H	M	64.0	6	0658 037	407.00
6H	M	68.0	6	0658 038	433.00

0658 Set of thread plug gauges



Delivery

- Wooden box

**DIN
2280**

Tolerance class	Type of thread	Nominal size mm	Order no.	List price EUR
(M3, M4, M5, M6, M8, M10, M12)				
6H	M	M3 - M12	0658 090	242.00

0658 GO thread ring gauges



Model

- GO thread ring gauge
- For standard metric ISO threads DIN 13
- Hardened gauge steel
- DIN 2285-1

DIN
2285-1

⌕	Fit	Type of thread	Nominal size mm	Thread pitch mm	Order no.	List price EUR
	6h	M	1.0	0.25	0658 501	143.00
	6h	M	1.2	0.25	0658 502	136.00
	6h	M	1.4	0.30	0658 503	126.00
	6g	M	1.6	0.35	0658 504	91.00
	6g	M	1.8	0.35	0658 505	83.00
	6g	M	2.0	0.40	0658 506	83.00
	6g	M	2.2	0.45	0658 507	72.00
	6g	M	2.5	0.45	0658 508	62.00
	6g	M	3.0	0.50	0658 509	51.00
	6g	M	3.5	0.60	0658 510	48.20
	6g	M	4.0	0.70	0658 511	47.20
	6g	M	5.0	0.8	0658 512	47.20
	6g	M	6.0	1.0	0658 513	47.20
	6g	M	7.0	1.0	0658 514	47.20
	6g	M	8.0	1.25	0658 515	48.20
	6g	M	9.0	1.25	0658 516	51.00
	6g	M	10.0	1.5	0658 517	57.00
	6g	M	11.0	1.5	0658 518	64.00
	6g	M	12.0	1.75	0658 519	66.00
	6g	M	14.0	2	0658 520	72.00
	6g	M	16.0	2	0658 521	80.00
	6g	M	18.0	2.5	0658 522	91.00
	6g	M	20.0	2.5	0658 523	102.00
	6g	M	22.0	2.5	0658 524	110.00
	6g	M	24.0	3	0658 525	118.00
	6g	M	27.0	3	0658 526	133.00
	6g	M	30.0	3.5	0658 527	143.00
	6g	M	33.0	3.5	0658 528	158.00
	6g	M	36.0	4	0658 529	169.00
	6g	M	39.0	4	0658 530	184.00
	6g	M	42.0	4.5	0658 531	201.00
	6g	M	45.0	4.5	0658 532	212.00
	6g	M	48.0	5	0658 533	224.00
	6g	M	52.0	5	0658 534	243.00
	6g	M	56.0	5.5	0658 535	257.00
	6g	M	60.0	5.5	0658 536	274.00
	6g	M	64.0	6	0658 537	294.00
	6g	M	68.0	6	0658 538	311.00



0658 NO GO thread ring gauges



DIN
2299-1



Model


- NOGO thread ring gauge
- For standard metric ISO threads DIN 13
- Hardened gauge steel
- DIN 2299-1

⌘	⌘	Fit	Type of thread	Nominal size mm	Thread pitch	Order no.	List price EUR
		6h	M	1.0	0.25	0658 601	143.00
		6h	M	1.2	0.25	0658 602	136.00
		6h	M	1.4	0.30	0658 603	126.00
		6h	M	1.6	0.35	0658 604	91.00
		6h	M	1.8	0.35	0658 605	83.00
		6h	M	2.0	0.40	0658 606	83.00
		6g	M	2.2	0.45	0658 607	72.00
		6g	M	2.5	0.45	0658 608	62.00
		6g	M	3.0	0.50	0658 609	51.00
		6g	M	3.5	0.60	0658 610	48.20
		6g	M	4.0	0.70	0658 611	47.20
		6g	M	5.0	0.8	0658 612	47.20
		6g	M	6.0	1.0	0658 613	47.20
		6g	M	7.0	1.0	0658 614	47.20
		6g	M	8.0	1.25	0658 615	48.20
		6g	M	9.0	1.25	0658 616	51.00
		6g	M	10.0	1.5	0658 617	57.00
		6g	M	11.0	1.5	0658 618	65.00
		6g	M	12.0	1.75	0658 619	66.00
		6g	M	14.0	2	0658 620	72.00
		6g	M	16.0	2	0658 621	80.00
		6g	M	18.0	2.5	0658 622	91.00
		6g	M	20.0	2.5	0658 623	102.00
		6g	M	22.0	2.5	0658 624	110.00
		6g	M	24.0	3	0658 625	118.00
		6g	M	27.0	3	0658 626	133.00
		6g	M	30.0	3.5	0658 627	143.00
		6g	M	33.0	3.5	0658 628	158.00
		6g	M	36.0	4	0658 629	169.00
		6g	M	39.0	4	0658 630	184.00
		6g	M	42.0	4.5	0658 631	201.00
		6g	M	45.0	4.5	0658 632	212.00
		6g	M	48.0	5	0658 633	224.00
		6g	M	52.0	5	0658 634	243.00
		6g	M	56.0	5.5	0658 635	257.00
		6g	M	60.0	5.5	0658 636	274.00
		6g	M	64.0	6	0658 637	294.00
		6g	M	68.0	6	0658 638	311.00





0658 Thread ring gauges GO



Model

- 7-pieces
- Hardened gauge steel
- For standard metric ISO threads
DIN 13
- Fit 6g


Delivery

- Wooden case

DIN
2285-1

	Fit	Type of thread	Nominal size mm	Order no.	List price EUR
(M3. M4. M5. M6. M8. M10. M12)					
	6g	M	3 - 12	0658 590	242.00

0658 Thread ring gauges NO GO



Model

- 7-pieces
- Hardened gauge steel
- For standard metric ISO threads
DIN 13
- Fit 6g

Delivery

- Wooden case

DIN
2299-1

	Fit	Type of thread	Nominal size mm	Order no.	List price EUR
(M3. M4. M5. M6. M8. M10. M12)					
	6g	M	3 - 12	0658 690	242.00