

0907 Set of DIGI-MET® 2/3 point internal micrometers



Specification



- DIN 863-4
- Reading: 0.001 mm / .00005 inch
- Protection class IP67
- LCD display
- Certificate for setting ring and internal micrometers
- Ratchet stop
- For through holes
- From measuring range 12.5 mm for through and blind holes
- From measuring range 12.5 mm with carbide tipped measuring faces

Electronic functions

- ON/OFF switch
- Zero setting at any position
- mm/inch conversion
- **Data output: 2 versions to choose (see table)**
 - serial interface RS 232
 - Power
 - wireless data transfer via bluetooth
- Max/Min value memory
- Hold Function
- PRESET Function (setting a numerical value)
- Tolerance function

Shipment

- Wooden case
- With setting rings

		Measuring range mm	Setting ring dia. mm	Ref. No. without Bluetooth	List price Euro	Ref. No. * Bluetooth	List price Euro
2 Point internal micrometer							
▪		2 - 6	2.5 / 4.0 / 5.0	0907 751	3,408.00	0907 851	3,483.00
3 Point internal micrometer							
▪		6 - 10	8.0	0907 753	1,359.00	0907 853	1,434.00
▪		10 - 20	12.5 / 20.0	0907 755	1,644.00	0907 855	1,719.00
▪		20 - 50	20.0 / 35.0	0907 757	2,266.00	0907 857	2,341.00
▪		50 - 100	65.0 / 80.0	0907 759	2,519.00	0907 859	2,594.00
▪		100 - 150	125.0	0907 761	2,114.00	0907 861	2,189.00
▪		150 - 200	125.0	0907 763	2,826.00	0907 863	2,901.00
▪		100 - 200	125.0 / 175.0	0907 775	4,437.00	0907 875	4,512.00

Accessories

	Ref. No.	List price Euro
Battery, 3V-Lithium, CR 2032	0220 704	3.60
USB-Keyboard interface cable RS 232 Power	0997 774	283.00
Bluetooth receiver	1998 750	125.00

Measuring depth extensions for 2/3 point internal micrometers 0907-0908



Specification

- Suitable for gauges 0907 and 0908

		Measuring range mm	Length mm	Ref. No.	List price Euro
▪		6 - 10	63	0909 506	78.00
▪		10 - 12.5	76	0909 508	78.00
▪		12.5 - 20	100	0909 509	78.00
▪		20 - 50	150	0909 511	114.00
▪		50 - 300	150	0909 514	134.00



0908 DIGI-MET® 2/3 point internal micrometer



Inclusive!

Specification

- DIN 863-4
- Reading: 0.001 mm / .00005 inch
- Protection class IP67
- With pistol grip
- From measuring range 12.5 mm with carbide tipped measuring faces
- Rotateable LCD display
- For through holes
- Certificate for setting ring and micrometer
- From measuring range 12.5 mm for through and blind holes



Electronic functions

- ON/OFF switch
- Zero setting at any position
- mm/inch conversion
- Data output: 2 versions to choose (see table)
 - serial interface RS 232 Power
 - wireless data transfer via bluetooth
- MAX/MIN value memory
- Hold Function
- PRESET Function (setting a numerical value)
- Tolerance function

Shipment

- Wooden case
- With setting ring

Icon	Measuring range mm	Meas. depth mm	Accuracy µm	Setting ring dia. mm	Ref. No. without Bluetooth	List price Euro	Ref. No. Bluetooth	List price Euro
DIGI-MET 2 Point instant internal micrometer								
▪	2 - 2.5	9	4	2.5	0908 701	1,640.00	0908 801	1,715.00
▪	2.5 - 3	9	4	2.5	0908 702	1,640.00	0908 802	1,715.00
▪	3 - 4	12	4	4.0	0908 703	1,640.00	0908 803	1,715.00
▪	4 - 5	18	4	4.0	0908 704	1,640.00	0908 804	1,715.00
▪	5 - 6	18	4	5.0	0908 705	1,640.00	0908 805	1,715.00
DIGI-MET 3 Point instant internal micrometer								
▪	6 - 8	58	4	8.0	0908 706	1,160.00	0908 806	1,235.00
▪	8 - 10	58	4	8.0	0908 707	1,134.00	0908 807	1,209.00
▪	10 - 12.5	58	4	12.5	0908 708	1,197.00	0908 808	1,272.00
▪	12.5 - 16	62	4	12.5	0908 709	1,214.00	0908 809	1,289.00
▪	16 - 20	62	4	20.0	0908 710	1,287.00	0908 810	1,362.00
▪	20 - 25	66	4	20.0	0908 711	1,374.00	0908 811	1,449.00
▪	25 - 35	66	4	35.0	0908 712	1,491.00	0908 812	1,566.00
▪	35 - 50	80	4	35.0	0908 713	1,523.00	0908 813	1,598.00
▪	50 - 65	80	5	65.0	0908 714	1,568.00	0908 814	1,643.00
▪	65 - 80	80	5	65.0	0908 715	1,568.00	0908 815	1,643.00
▪	80 - 100	100	5	80.0	0908 716	1,672.00	0908 816	1,747.00
▪	100 - 125	115	6	125.0	0908 717	1,749.00	0908 817	1,824.00
▪	125 - 150	115	6	125.0	0908 718	1,855.00	0908 818	1,930.00
▪	150 - 175	115	7	175.0	0908 719	1,962.00	0908 819	2,037.00
▪	175 - 200	115	7	175.0	0908 720	2,051.00	0908 820	2,126.00
▪	200 - 225	118	8	225.0	0908 721	2,698.00	0908 821	2,773.00
▪	225 - 250	118	8	225.0	0908 722	2,976.00	0908 822	3,051.00
▪	250 - 275	118	9	275.0	0908 723	3,084.00	0908 823	3,159.00
▪	275 - 300	118	9	275.0	0908 724	3,404.00	0908 824	3,479.00

Accessories

	Ref. No.	List price Euro
Battery, 3V-Lithium, CR 2032	0220 704	3.60
USB-Keyboard interface cable RS 232 Power	0997 774	283.00
Bluetooth receiver	1998 750	125.00

0908 Set of DIGI-MET® 2/3 point internal micrometers



Specification



- DIN 863-4
- Reading: 0.001 mm / .00005 inch
- Protection class IP67
- With pistol grip
- From measuring range 12.5 mm with carbide tipped measuring faces
- Rotateable LCD display
- Certificate for setting ring and micrometer
- For through holes
- From measuring range 12.5 mm for through and blind holes

Electronic functions

- ON/OFF switch
- Zero setting at any position
- mm/inch conversion
- Data output: 2 versions to choose (see table) - serial interface RS 232 Power - wireless data transfer via bluetooth
- Max/Min value memory
- Hold Function
- PRESET Function (setting a numerical value)
- Tolerance function

Shipment

- Wooden case
- With setting rings
- Calibration according to table

✕	📏	Measuring range		Setting ring dia. mm	Ref. No. without Bluetooth	List price Euro	Ref.No. ✕ Bluetooth	List price Euro
		mm	inch					
2 Point instant internal micrometer								
▪		2 - 6	.080 - .250	2.5 / 4.0 / 5.0	0908 751	3,749.00	0908 851	3,824.00
3 Point instant internal micrometer								
▪		6 - 10	1/4 - 3/8	8.0	0908 753	1,407.00	0908 853	1,482.00
▪		10 - 20	3/8 - 3/4	12.5 / 20.0	0908 755	1,662.00	0908 855	1,737.00
▪		20 - 50	3/4 - 2	20.0 / 35.0	0908 757	2,177.00	0908 857	2,252.00
▪		20 - 100	3/4 - 4	20.0 / 35.0 / 65.0 / 80.0	0908 773	3,613.00	0908 873	3,688.00
▪		50 - 100	2 - 4	65.0 / 80.0	0908 759	2,438.00	0908 859	2,513.00
▪		100 - 150	4 - 6	125.0	0908 761	2,177.00	0908 861	2,252.00
▪		150 - 200	6 - 8	175.0	0908 763	2,909.00	0908 863	2,984.00
▪		100 - 200	4 - 8	125.0 / 175.0	0908 775	4,607.00	0908 875	4,682.00

Accessories

	Ref. No.	List price Euro
Battery, 3V-Lithium, CR 2032	0220 704	3.60
USB-Keyboard interface cable RS 232 Power	0997 774	283.00
Bluetooth receiver	1998 750	125.00

Measuring depth extensions for 2/3 point internal micrometers 0907-0908



Specification

- Suitable for all internal micrometers from series 0907 and 0908

✕	📏	Measuring range mm		Length mm	Ref. No.	List price Euro
▪		6	- 10	63	0909 506	78.00
▪		10	- 12.5	76	0909 508	78.00
▪		12.5	- 20	100	0909 509	78.00
▪		20	- 50	150	0909 511	114.00
▪		50	- 300	150	0909 514	134.00